

Sussex County, DE

Sussex County residents will face increasingly severe weather-related hazards, such as heat waves, flooding, and storm surge.

As the frequency and intensity of local hazards change, it is important for all of us to protect communities and local habitats. Using the best data, scientists can project how long-term averages in daily weather will change in the future, and the effects this will have on localities.

Information on extreme weather and hazards can empower citizens, decision-makers, and other stakeholders to make infored risk-reduction decisions. With planning and preparation, Sussex County can reduce risks for all residents.



Changing Temperature Patterns

Human health, wildlife, and infrastructure are all threatened by

higher temperatures. At 95°F, it is hard to keep indoor areas and our bodies cool. Sussex County's summers are getting hotter. On average, Sussex County sees 4 days per year with temperatures above 95°F (1990-2019 average). Within the next 50 years (by 2070), Sussex County can expect a yearly average of 20 to 38 days above 95°F, with associated increases in cooling costs, reduced air quality, and heat-related illnesses.



HEAT-RELATED ILLNESSES

Heatwaves can kill people and pets, and can cause difficulty breathing, exhaustion, cramping, and heatstroke. Individuals at higher risk include children, pregnant women, older adults, outdoor workers, and lower-income residents.



Water temperature across the Inland Bays have increased. Warmer water stores less dissolved oxygen and also worsens algal blooms, which threaten the survival of fish, clams, oysters, blue crabs, and horseshoe crabs, disrupting fisheries and recreational fishing.



The graph shows the number of days in a year with temperatures above or equal to $95^{\circ}F$. Dots represent observed annual days of extreme temperatures and the gray shading shows the hindcast¹. Two scenarios of the future are shown as a high-emissions scenario (RCP 8.5) in red and a low-emissions scenario (RCP 4.5) in blue.

Data:

- Future scenarios: Multivariate Adaptive Constructed Analogs (MACA)
- Observed data: Gridded Surface Meteorological Dataset (gridMET)

¹Hindcasts are model results for a historical period. Hindcasts are useful for comparing observations with model estimates.



Changing Rainfall Patterns

Heavy rainfall in Sussex County is increasing in frequency and intensity, causing property damage, septic backups, mold and indoor air quality issues, and impacts to water quality in wells, Inland Bays, the Chesapeake Bay, and the Delaware Bay. Annual rainfall in Sussex County will likely increase by an average of 2 inches (2050-2079 average compared to the 1990-2019 average).

-

Heavy rain overwhelms infrastructure and drainage systems, causing property damage and covering roads.



FLOODING

REDUCED HUMAN HEALTH

Rising water tables cause septic backups and groundwater pollution, putting Sussex County's drinking water at risk of contamination. Changing moisture levels impact the spread of illness, including tick- and mosquito-borne diseases as high humidity promote their activity.

The graph shows the change in annual rainfall compared to the average between 1990 and 2019. The gray lines show the hindcast. Two scenarios of the future are shown as a high-emissions scenario (RCP 8.5) in red and a low-emissions scenario (RCP 4.5) in blue.

Data:

• Future scenarios: Multivariate Adaptive Constructed Analogs (MACA)

Sea Level Rise

As temperatures warm, land ice melts and seawater expands causing sea levels to rise around the world and Delaware Bay, Chesapeake Bay, and the Inland Bays. Between 1960 and 2019, sea levels in the Sussex County rose roughly 0.8 feet leading to more frequent and severe coastal flooding, and property damage. Sea levels will rise an additional 0.7 to 2.6 feet in the next 50 years (by 2070).

0

FLOODINGLOSS OF WETLANDS, FARMS, AND BEACHES

Rising sea levels allow tides, waves, and severe flooding to push further inland. This causes more frequent high tide flooding and increases the impacts of storm surge, putting low-lying housing, commercial property, and infrastructure at risk. Wetlands, beaches, and dunes protect communities and infrastructure from coastal storms, support tourism, and provide unique habitats. Saltwater intrusion can alter wetland species and force farmers to abandon fields, and coastal erosion eats away the beaches and dunes.



Sussex County, DE



The graph shows the projected change of sea level in feet above mean sea level relative to 2000. The blue line shows the intermediate scenario (50% probability) and the blue shading shows the low to high scenario range (5 to 95% probability) of sea level rise used for official planning purposes in the state of Delaware. Dots show the observed changes in sea level in Lewes, DE. Data for the future scenarios are based on a high-emissions scenario (RCP 8.5).

Data:

- Future scenarios: Delaware Department of Natural Resources and Environmental Control (DNREC)
- Observed data: Permanent Service for Mean Sea Level (PSMSL)

Development of the Local Hazard Outlooks was supported by the National Oceanic and Atmospheric Administration (NOAA) grants NA18OAR4310302 and NA21OAR4310310.